



# DAN WESSON ARMS

A PROUD TRADITION IN FIREARMS

TO:

FROM: Dan Wesson Arms Sales Office

SUBJECT: .445 Supermag

In the month of September, we will start production of a .445 caliber revolver. We believe it to be the most powerful Double Action revolver in existence.

This revolver is approximately the same weight and configurations as the current Supermag line. The .445 is a longer version of the .44 magnum and will greatly improve performances with the new heavier bullets in the 280-300 gr. class. The intent of this new revolver is to deliver heavier bullets without sacrificing velocity and to gain delivered foot lbs. of energy at impact. The standard 240 gr., .44 mag bullets will fly in the 1,200-1,600 FPS range without excessive pressures.

This is the ultimate handgun for Silhouette competition and hunting. We are accepting orders for these revolvers, with October as an approximate delivery date.

Brass, dies & ammunition will be available thru IHMSA, 1409 Benton, PO Box 1609, Idaho Falls, ID 83401. Phone#208-524-0880.

(max)	300 gr	1500 <del>1482</del> + fps	1497 <del>1388</del> ft-lb
8"	250 gr	1541 + fps	1317 ft-lb
	240 gr.	<del>1600</del> fps 1650	<del>1363</del> ft-lb 1449
.44 Rhino	275 gr	1520 fps	1410 ft-lb
(8")	250 gr	1713 fps	1629 ft-lb

293 Main Street, Monson, MA 01057 • (413) 267-4081

.454 Casull 300 gr 1594 fps 1691 ft-lb (2000)  
(7 1/2")



DAN WESSON ARMS INTERIM PRICE LIST  
 .445 SUPERMAG

Complete Guns

Sugg. Retail

G445-V8S  
 C445-VH8S  
 G445-V10S

574.55 (450)  
 605.25  
 596.88

G445-V6  
 G445-V8  
 G445-V10

547.77  
 565.01  
 583.71

G445-VH6  
 G445-VH8  
 G445-VH10

561.20  
 593.86 (456)  
 614.80

G7445-V8S  
 G7445-VH8S  
 G7445-V10S

632.22  
 666.06  
 656.82

G7445-V6  
 G7445-V8  
 G7445-V10

608.98  
 629.86  
 650.09

G7445-VH6  
 G7445-VH8  
 G7445-VH10

623.87  
 662.04 (490)  
 682.96

HUNTER PACS

HP445-V  
 HP445-2  
 HP7445-V  
 HP7445-2

1038.94  
 951.41  
 1144.84  
 1057.10

BARREL ASSEMBLIES

EA445-V6  
 EA445-V8  
 EA445-V10

131.08  
 142.89  
 155.74

BA445-VH6  
 EA445-VH8  
 BA445-VH10

155.99  
 170.04  
 185.34

BA445-V8S  
 BA445-VH8S  
 BA445-V10S

154.18  
 183.47  
 168.04

BA7445-V6  
 BA7445-V8  
 EA7445-V10

155.19  
 166.99  
 173.58

EA7445-VH6  
 BA7445-VH8  
 BA7445-VH10

180.13  
 194.15  
 209.47

*For non-fluted cylinder, (free)  
 add (NF),  
 inc. G445 VH8 (NF)*



BARREL ASSEMBLIESSugg. Retail

BA7445-V8S	175.13
BA7445-VH8S	209.50
BA7445-V10S	187.29

BARREL ASSEMBLIES w BASES & RINGS

BB445-V8S	210.96
BB445-VH8S	240.24
BB445-V10S	224.81

BB445-V6	187.84
BB445-V8	199.65
BB445-V10	212.50

BB445-VH6	212.75
BB445-VH8	226.80
BB445-VH10	242.10

BB7445-V6	224.13
BB7445-V8	235.93
BB7445-V10	242.52

BB7445-VH6	249.07
BB7445-VH8	263.09
BB7445-VH10	278.41

BB7445-V8S	244.09
BB7445-VH8S	278.45
BB7455-V10S	256.24

SHROUDS ONLY

445-V6	100.37
445-V8	108.48
445-V10	116.43

445-VH6	125.13
445-VH8	135.63
445-VH10	146.02

445-V8S	119.78
445-VH8S	146.35
445-V10S	125.63

7445-V6	118.63
7445-V8	124.92
7445-V10	126.64

7445-VH6	143.54
7445-VH8	152.10
7445-VH10	162.51

7445-V8S	128.19
7445-VH8S	164.13
7445-V10S	136.64



BARRELS ONLY

BLUE

<u>Length</u>		<u>Sugg. Retail</u>	<u>Length</u>	<u>SS</u>	<u>Sug. Ret.</u>
6"		30.84	6"		36.57
8"		34.89	8"		42.02
10"		39.29	10"		46.93