


Lawrence

THE INNOVATORS



THE SYSTEM



Innovators have no limitations. We seek out the new, the improvements, the refinements. We incorporate in Dan Wesson designs whatever will make your revolver more out-of-the-box accurate, more adaptable to your needs, more shooting reliable. This year all Dan Wesson calibers have a newly patented, interchangeable rear sight blade

so you can change your sight picture, from narrow notch to wide notch, with the tool provided. Rear sight is screwdriver adjustable for windage and elevation as well. As gun prices have risen over the years, the exclusive interchangeability of Dan Wesson barrel assemblies has made Dan Wesson revolvers a better value. You can keep the fine balance and trigger action you like and simply and inexpensively change barrel length or shroud configuration to what you want. Also new this year is the Dan Wesson .357 Super Mag, chambered for .357 Maximum loads. This

gun already has been scoring high in IHMSA matches.

Moreso than any other revolver you can buy, Dan Wesson calibers have no limitation, giving you all the gun you want now, plus what you may want in the future.

Barrel Assembly options



Barrel Assembly Lengths & Configurations

Models	2½"			4"			6"			8"			10"			12"			15"		
	S	V	VH	S	V	VH	S	V	VH	S	V	VH	S	V	VH	S	V	VH	S	V	VH
8, 8-B, 708	X			X			X														
9 & 709	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X						
14, 14-B & 714	X			X																	
15-2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
715	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
22, 22M, 722 & 722M	X	X	X	X	X	X	X	X	X	X	X	X									
40 ^a							X	X		X	X		X ^a	X ^a							
41 & 741				X	X		X	X		X	X		X ^a	X ^a							
44 & 744 ^b				X	X		X	X		X	X		X ^a	X ^a							

^a 10" Nominal, 9.7" Actual
^b 4", 6", and 8" barrel assemblies are available with or without "POWER CONTROL". Be sure to specify your preference.
^c Special order only

^d Special 8" slotted barrel assembly is available on request - B140-V85

Dan Wesson Arms Pistol Pac options

Model	Caliber	Type	Barrel Lengths Incl.				Extra Grips	Add'l Sight Blades	Carry Case	Wrench & Gauge	Patch & Buckle
P-22	.22 L.R.	Target	2½	4	6	8	X	4	X	X	X
P-722	.22 L.R.	Target	2½	4	6	8	X	4	X	X	X
P-22M	.22 Win Mag	Target	2½	4	6	8	X	4	X	X	X
P-722M	.22 Win Mag	Target	2½	4	6	8	X	4	X	X	X
P-8-2	.38 Special	Service	2½	4	6	—	X	—	X	X	X
P-8-2B	.38 Special	Service	2½	4	6	—	X	—	X	X	X
P-9-2	.38 Special	Target	2½	4	6	8	X	4	X	X	X
P-708	.38 Special	Service	2½	4	6	—	X	—	X	X	X
P-709	.38 Special	Target	2½	4	6	8	X	4	X	X	X
P-14-2	.357 Magnum	Service	2½	4	6	—	X	—	X	X	X
P-14-2B	.357 Magnum	Service	2½	4	6	—	X	—	X	X	X
P-15-2	.357 Magnum	Target	2½	4	6	8	X	4	X	X	X
P-714	.357 Magnum	Service	2½	4	6	—	X	—	X	X	X
P-715	.357 Magnum	Target	2½	4	6	8	X	4	X	X	X
P-41	.41 Magnum	Target	—	6	8	—	X	2	X	X	X
P-741	.41 Magnum	Target	—	6	8	—	X	2	X	X	X
P-44*	.44 Magnum	Target	—	6	8	—	X	2	X	X	X
P-744*	.44 Magnum	Target	—	6	8	—	X	2	X	X	X

*Standard .44 pac includes a gun with 8" unported barrel; an 8" "POWER CONTROL" barrel; and two 6" barrels—one unported and one "POWER CONTROL" with appropriate shroud.



Dan Wesson
A PROUD TRADITION
IN FIREARMS

Slow Fire
Ted Johns

.22 RIMFIRE

The extra in a Dan Wesson .22 is its frame. We build them on a .357 Magnum frame so the gun will balance the way a target gun should. Take your choice of barrel lengths now or anytime in the future. .22 or .22 Magnum. Brite blue or satin stainless steel.

Specifications:

Six shot double and single action. **Ammunition:** Models 22 & 722 — .22 Long Rifle; Models 22M & 722M — .22 Win Mag. **Typical Dimension:** 4" Barrel Revolver — 9¼" x 5¼". **Trigger:** Smooth, wide tang (¾") with overtravel adjustment. **Hammer:** Wide spur (¾") with short double action travel. **Sights:** Front — ⅛" serrated, interchangeable blade. Red insert standard. Yellow and white available. Rear — new, interchangeable rear blade for wide or narrow notch sight picture. Wide notch standard, narrow notch available. Screwdriver adjustable for windage and elevation. Graduated click. **Rifling:** Six lands and grooves, right-hand twist, 1:12".



Model	Caliber	Type	Barrel Lengths & Weight in Ounces				Finish
			2½"	4"	6"	8"	
22	.22 L. R.	Target	36	40	44	49	Brite Blue
22-V	.22 L. R.	Target	36	40	44	49	Brite Blue
22-VH	.22 L. R.	Target	36	41	47	54	Brite Blue
22-M	.22 Win Mag	Target	36	40	44	49	Brite Blue
22M-V	.22 Win Mag	Target	36	40	44	49	Brite Blue
22M-VH	.22 Win Mag	Target	36	41	47	54	Brite Blue
722	.22 L. R.	Target	36	40	44	49	Satin Stainless Steel
722-V	.22 L. R.	Target	36	40	44	49	Satin Stainless Steel
722-VH	.22 L. R.	Target	36	41	47	54	Satin Stainless Steel
722M	.22 Win Mag	Target	36	40	44	49	Satin Stainless Steel
722M-V	.22 Win Mag	Target	36	40	44	49	Satin Stainless Steel
722M-VH	.22 Win Mag	Target	36	41	47	54	Satin Stainless Steel

NEW

.32 MAGNUM

The new Dan Wesson .32 Magnum is a sure-fire target and small game gun. The .32 Magnum round offers a high muzzle velocity and provides a flat trajectory that increases accuracy and makes it a natural as a varmint gun. Available in blue and stainless steel finishes, the Dan Wesson .32 Magnum leads the way in accuracy on the range and in the field.

Specifications:

Six shot double and single action. **Ammunition:** Chambered for .32 H&R Magnum. Will also fire .32 S&W Long and .32 Colt new police cartridges interchangeably. **Typical Dimension:** 4" Barrel Revolver — 9¼" x 5¾". **Trigger:** Smooth, wide tang (⅜") with overtravel adjustment. **Hammer:** Wide spur (⅜") with short double action travel. **Sights:** Front — ⅛" serrated, interchangeable blade. Red insert standard. Yellow and white available. Rear — interchangeable rear blade for wide or narrow notch sight picture. Wide notch standard, narrow notch available. Screwdriver adjustable for windage and elevation. Graduated click. **Rifling:** Six lands and grooves, right-hand twist, 1:18¾".



Model	Caliber	Type	Barrel Lengths & Weight In Ounces				Finish
			2½"	4"	6"	8"	
32	.32 Magnum	Target	35	39	43	48	Brite Blue
32V	.32 Magnum	Target	35	39	43	48	Brite Blue
32VH	.32 Magnum	Target	35	40	46	53	Brite Blue
732	.32 Magnum	Target	35	39	43	48	Satin Stainless Steel
732V	.32 Magnum	Target	35	39	43	48	Satin Stainless Steel
732VH	.32 Magnum	Target	35	40	46	53	Satin Stainless Steel

.38 SPECIAL

Security and law enforcement agencies appreciate Dan Wesson .38 Special for the same reasons target shooters and sportsmen do. The Dan Wesson .38 Special shoots straight, has a balance that makes you feel you can shoot tight groups any-time, and you can change barrel assemblies and grips to just about any configuration you want.

Specifications:

Six shot double and single action. **Ammunition:** .38 Special Hi-speed, .38 Special Mid-range. **Typical Dimension:** 4" Barrel Revolver — 9¼" x 5¾". **Trigger:** Smooth, wide tang (⅜") with overtravel adjustment. **Hammer:** Wide spur (⅜") with short double action travel. **Sights:** Models 8 - 708, ⅝" fixed serrated front. Fixed rear integral with the frame. Models 9 - 709, ⅝" serrated, interchangeable front blade. Red insert standard. Yellow and white available. Rear — new, interchangeable rear blade for wide or narrow notch sight picture. Wide notch standard, narrow notch available. Screwdriver adjustable for windage and elevation. Graduated click. **Rifling:** Six lands and grooves, right-hand twist, 1:18¾".



Model	Caliber	Type	Barrel Lengths & Weight in Ounces				Finish
			2½"	4"	6"	8"	
8-2	.38 Special	Service	30	34	38	N/A	Satin Blue
8-2B	.38 Special	Service	30	34	38	N/A	Brite Blue
9-2	.38 Special	Target	32	36	40	44	Brite Blue
9-2V	.38 Special	Target	32	35	39	43	Brite Blue
9-2VH	.38 Special	Target	32	37	42	47	Brite Blue
708	.38 Special	Service	30	34	38	N/A	Satin Stainless Steel
709	.38 Special	Target	32	36	40	44	Satin Stainless Steel
709-V	.38 Special	Target	32	35	39	43	Satin Stainless Steel
709-VH	.38 Special	Target	32	37	42	47	Satin Stainless Steel

.357 MAGNUM

Enforcement, protection, target. Only your Dan Wesson .357 can change barrel length and grip to meet your changing need. As a duty caliber or hunting sidearm, your choice of Dan Wesson interchangeable barrel assemblies and our new, patented rear sight give you a revolver you can do more with, whether now or years later. 12" and 15" barrels on (S/O) Special Order only.

Specifications:

Six shot double and single action. **Ammunition:** .357 Magnum, .38 Special Hi-speed, .38 Special Mid-range. **Typical Dimension:** 4" Barrel Revolver — 9 1/4" x 5 3/4". **Trigger:** Smooth, wide tang (3/8") with overtravel adjustment. **Hammer:** Wide spur (3/8") with short double action travel. **Sights:** Models 14 - 714, 1/8" fixed serrated front. Fixed rear integral with frame. Models 15 - 715, 1/8" serrated, interchangeable front blade. Red insert standard. Yellow and white available. Rear — new, interchangeable rear blade for wide or narrow notch sight picture. Wide notch standard, narrow notch available. Screwdriver adjustable for windage and elevation. Graduated click. NOTE: 10", 12", 15" barrel assemblies have special front sights and instructions. **Rifling:** Six lands and grooves, right-hand twist, 1:18 3/4" (2 1/2" thru 8" lengths). Six lands and grooves, right-hand twist, 1:14" (10", 12", 15" lengths).

15-2V8

715-VH6

Model	Caliber	Type	Barrel Lengths & Weight in Ounces							Finish
			2 1/2"	4"	6"	8"	10"	12"	15"	
14-2	.357 Magnum	Service	30	34	38	N/A	N/A	N/A	N/A	Satin Blue
14-2B	.357 Magnum	Service	30	34	38	N/A	N/A	N/A	N/A	Brite Blue
15-2	.357 Magnum	Target	32	36	40	44	50	54S/O	59S/O	Brite Blue
15-2V	.357 Magnum	Target	32	35	39	43	49	54S/O	59S/O	Brite Blue
15-2VH	.357 Magnum	Target	32	37	42	47	55	61S/O	70S/O	Brite Blue
714	.357 Magnum	Service	30	34	40	N/A	N/A	N/A	N/A	Satin Stainless Steel
715	.357 Magnum	Target	32	36	40	45	50	54S/O	59S/O	Satin Stainless Steel
715-V	.357 Magnum	Target	32	35	40	43	49	54S/O	59S/O	Satin Stainless Steel
715-VH	.357 Magnum	Target	32	37	42	49	55	61S/O	70S/O	Satin Stainless Steel

.41 MAGNUM .44 MAGNUM

These are the devastating big game or target calibers—designs newly pioneered by Dan Wesson. One-piece frames for strength in both calibers. Optional patented **Power Control** feature available on the 4", 6", 8", .44s to reduce muzzle flip and keep your target in the picture for follow-up shots.

Specifications:

Six shot double and single action. **Ammunition:** Models 41 & 741 — .41 Magnum; Models 44 & 744 — .44 Magnum and .44 Special. **Typical Dimension:** 6" Barrel Revolver — 12" x 6". **Trigger:** Smooth, wide tang ($\frac{3}{8}$ ") with overtravel adjustment. **Hammer:** Wide, checkered spur with short double action travel. **Sights:** Front — $\frac{1}{8}$ " serrated, interchangeable blade. Red insert standard. Yellow and white available. Rear — new, interchangeable rear blade for wide or narrow notch sight picture. Wide notch standard, narrow notch available. Screwdriver adjustable for windage and elevation. Graduated click. **Rifling:** Eight lands and grooves, right-hand twist, 1:18 $\frac{3}{4}$ ".



Model	Caliber	Type	Barrel Lengths & Weight in Ounces				Finish
			4"	6"	8"	10"	
41-V	.41 Magnum	Target	48	53	58	64	Brite Blue
41-VH	.41 Magnum	Target	49	56	64	69	Brite Blue
44-V	.44 Magnum	Target	48	53	58	64	Brite Blue
44-VH	.44 Magnum	Target	49	56	64	69	Brite Blue
741-V	.41 Magnum	Target	48	53	58	64	Satin Stainless Steel
741-VH	.41 Magnum	Target	49	56	64	69	Satin Stainless Steel
744-V	.44 Magnum	Target	48	53	58	64	Satin Stainless Steel
744-VH	.44 Magnum	Target	49	56	64	69	Satin Stainless Steel

*10" Nominal, 9.7" Actual

NOTE: Only jacketed bullets should be used with the .44 Mag. POWER CONTROL or excessive leading will result.

.357 SUPERMAG^{DW}

The most .357 power and accuracy you can buy. This newest Dan Wesson is already taking trophies on the range and in the field. **Single and double action.** Model 40-V8S qualifies for the IHMSA 4-lb. weight limits. Its unique slotted shroud dissipates heat, reducing chance of heat distortion. Each Dan Wesson .357 Super Mag comes with an extra barrel.

Specifications:

Six shot double and single action. **Ammunition:** .357 Maximum. **Dimension:** Overall length is 14.375" with 8" barrel, height is 6.5". **Trigger:** Clean let-off, wide tang with overtravel adjustment. **Hammer:** Wide spur, with short double action travel. **Sights:** 1/8" serrated, interchangeable front blade. Red insert standard. Yellow and white available. Rear — new, interchangeable rear blade for wide or narrow notch sight picture. Wide notch standard, narrow notch available. Screwdriver adjustable for windage and elevation. **Rifling:** Six lands and grooves, right-hand twist, 1:18 3/4"



Model	Caliber	Type	Barrel Lengths & Weight in Ounces			Finish
			6"	8"	10"*	
40-V	.357 Maximum	Target	59.5	62	65	Brite Blue
40-VH	.357 Maximum	Target	62	72	76	Brite Blue
40-VS	.357 Maximum	Target	—	64	—	Brite Blue

*10" Nominal, 9.7" Actual

STAINLESS STEEL .357 SUPERMAG^{DW}

Now you can have all the power and accuracy of a .357 Supermag in a striking stainless steel finish with the new Dan Wesson Model 740. This new Dan Wesson piece features a time-tested design and qualifies for IHMSA 4-lb. weight limits. Its unique slotted shroud dissipates heat, reducing chance of heat distortion. Each Dan Wesson .357 Supermag comes with an extra barrel.

Specifications:


Six shot double and single action. **Ammunition:** .357 Maximum. **Dimension:** Overall length is 14.375" with 8" barrel, height is 6.5". **Trigger:** Clean let-off, wide tang with overtravel adjustment. **Hammer:** Wide spur, with short double action travel. **Sights:** 1/8" serrated, interchangeable front blade. Red insert standard. Yellow and white available. Rear — new, interchangeable rear blade for wide or narrow notch sight picture. Wide notch standard, narrow notch available. Screwdriver adjustable for windage and elevation. **Rifling:** Six lands and grooves, right-hand twist, 1:18 3/4".



Model	Caliber	Type	Barrel Lengths & Weight In Ounces			Finish
			6"	8"	10"*	
740-V	.357 Maximum	Target	59.5	62	65	Stainless Steel
740-VH	.357 Maximum	Target	62	72	76	Stainless Steel
740-VS	.357 Maximum	Target	—	64	—	Stainless Steel

*10" Nominal, 9.7" Actual

ACCESSORIES



One-piece grips


You get a broad choice of grip style, checking and size with Dan Wesson. Shown from left to right: **a.** Exotic wood, target model with checkering **b.** Walnut, checkered target grip **c.** Walnut combat grip **d.** Undercover, walnut, checkered **e.** Traditional, walnut, checkered **f.** Service, walnut, checkered **g.** Pachmayr gripper **h.** Pachmayr target, large **j.** Exotic wood, target, smooth **k.** Walnut, target, smooth **m.** Combat, walnut **n.** Pachmayr target

a. to h. fit .22/.32/.357 frames.
j. to n. fit models 40, 41, and 44.

Dan Wesson wrench kits, belt buckles, and patches

Each Dan Wesson revolver is shipped with a combination wrench for field stripping and changing barrel assemblies. Included is a precise feeler gauge for setting proper tolerance between barrel and cylinder when changing barrel assemblies.


Heavy, special alloy buckles look and feel like pewter. Patches are richly embroidered in Dan Wesson colors.



SAFETY FIRST AND ALWAYS!

Enjoy shooting your Dan Wesson revolver, follow these gun safety rules:

1. Read and follow instructions regarding handling and use of firearms.
2. Treat every firearm as if it were loaded.
3. Always keep muzzle pointed in a safe direction and under control.
4. Keep cylinder open until ready to load and shoot.
5. Know your gun and ammunition.
6. Be sure of your target and backstop.
7. Always hold your revolver by the grip and keep both hands clear of and behind the cylinder.
8. Never drink alcoholic beverages or take medication or drugs before or while shooting.
9. Always store your firearms unloaded, in a locked container, separate from ammunition.
10. Keep all firearms out of reach of children.



Patented Dan Wesson Sights

With the turn of a screwdriver, you can adjust Dan Wesson rear sights for windage and elevation. And you feel and hear each click. You can even choose interchangeable narrow notch rear blades or white .125 notch blades. Dan Wesson front sights have interchangeable colored inserts. Red is standard, yellow, white and a black steel patridge sight are also available. Specify preferences on orders.

